S, VAGE DESIGN

DESIGN WITH MADDOX - SHELVING

ENGINEERED BEAUTY SINCE 1910 / SYD - AUS



WELCOME TO MADDOX

Savage Design introduces the Maddox System, a collection of intersecting components that create a multitude of sleek, visually cohesive architectural solutions. The Maddox System epitomises Savage Design's dedication to **Engineered Beauty**.


Follow these 5 steps to design your Maddox solution

- 1 STYLE
- 2 FINISHES
- (3) HEIGHT
- (4) BAYS
- (5) SHELVES

We have provided a specification sheet to help you design your solution. Send it to our team for a quote.

There is an example specification sketch sheet at the end for your reference.

Maddox components being machined by our engineers in our Sydney factory.




MADDOX ENGINEERED BEAUTY

(1) STYLE - Choose your style

WALL STANDING

Mounted to wall and floor. Shelf depth 300mm

If wall is glass or mirror consider 'free' styles below



WALL HANGING

Mounted to wall and ceiling. Shelf depth 300mm

If wall is glass or mirror consider 'free' styles below



FREE HANGING

Mounted to ceiling only. Shelf depth 330mm

Max drop 1490mm



FRAME

Choose from our four signature finishes*

FINISHES - Frame









Brass


Stainless Steel

Aged Bronze


Blackened Brass

3 HEIGHT - Select your height

FLOOR MOUNTED Choose the height of your style




CEILING MOUNTED Choose the drop of your style.



SHELF DETAIL

The height of the bottom shelf will be at least 42mm above the over all drop height.

See diagram.




MADDOX ENGINEERED BEAUTY




BAYS - Choose your number

STANDARD BAY WIDTHS



Choose the width and number of bays required.

You can mix widths of bays.



Maddox examples














SHELVES - Number per bay, Type & Accessory

Choose the number of shelves required per bay and what type of shelf

All shelves are approx 300mm deep



SHELF

MATERIAL TYPE

One material type per Maddox configuration



ALUMINIUM Powdercoated



GLASS Clear float glass with retention strip* to match frame finish.

ACCESSORY

One accessory per shelf



Top Shelf Fence (T)



Drinking Glass Rack (D) Bottom Rail (B)





One Rail Shelf (O)

Drinking glass rack details

Glasses up to Dia 125mm

Capacity at max Dia

600mm - QTY x8

900mm - QTY x12

MADDOX ENGINEERED BEAUTY


SPECIFICATION SKETCH SHEET

1	STYLE	WALL	WALL STANDING			WALL HANGING					
					FREE	EHANGINO	Ĵ				
2 FINISHES		FRAME	Brass		Stainless Steel						
			Aged Bro	onze	Black	kened Bras	SS				
3	HEIGHT	4	BAYS								
Sketch your elevation on the grid below indicating the height, number of bays and number of shelves.											
2090mm								CEILING			
1790mm								290mm			
1490mm								590mm			
1190mm			-			-		890mm			
890mm	-		- 			-		1190mm			
590mm								1490mm			
290mm	-		.								
FLOOR								j			
	300mm 600mm 90	00mm									
(5)	SHELVES	MATERIAL TYPE - One shelf type per Maddox configuration									
5) SHELVES		ALUMINIUM GLASS PC - Textured Black Frame matched									
Shelves are approx 300mm deep ACCESSORY - Note position on sketch with code in brackets											
		Top Shelf Fence (T) Drinking Glass Rack Bottom Rail (B) (D)									
		One Rail Shelf (O) No Shelf (NS)									

^{*} Our metals are all living finishes. Find out more here - savagedesign.com.au/portfolio/living_finishes/

RECOMMENDATIONS

When fitting Maddox into alcoves, nooks or between surfaces, please ensure the minimum clearance as shown here.



Maddox Bush Flange load rating and fixings.

The Maddox Bush Flange is screw fixed to its position. Screws provided are 8G x 20mm to suit most applications.

Longer screws, wall plugs or wall anchors may be needed at installers discretion.



50kg load per Bush Flange

Always supplied in Brass

Bush flange + Cover Cap dimensions

Maddox mounting surfaces.

Whatever Maddox is fixed to, it must have sufficient structure to take the weight of the Maddox unit and items being placed on it.

Suitable surfaces may include Timber, Ply or Engineered Timbers, Masonry and Concrete.

CAUTIONS

Plasterboard - Requires sufficient timber battens or timber panelling

Tile – Maddox can be fitted to tiles. There needs to sufficient rigid structure behind the tiled surface for it to be fixed to.

Maddox can not be fixed directly to glass or mirror.

MADDOX ENGINEERED BEAUTY

SPECIFICATION SKETCH SHEET EXAMPLE

1	STYLE	WALL	_ STANDING		WALL HANGING FREE HANGING						
2	FINISHES	FRAME	Brass Aged Bro	onze		inless Steel ckened Bras	S				
3	HEIGHT	4	BAYS								
Sketch your elevation on the grid below indicating the height, number of bays and number of shelves.											
2090mm			· · · · · · · · · · · · · · · · · · ·		· · · · ·			CEILING			
1790mm						· - - ·		290mm			
1490mm	<u> </u>	D						590mm			
1190mm								- 890mm			
890mm	T							1190mm			
590mm	1							1490mm			
290mm											
FLOOR	300mm 600mm 90	00mm									
5	SHELVES	X ALUM	TYPE - One she IINIUM extured Black		per Maddox GLASS Frame match		on				
ACCESSORY - Note position on sketch with code in brackets											
	Top Shelf Fence (T) 1 Drinking Glass Rack Bottom Rail (B) (D)										
		One F	Rail Shelf (O)	1	No Shelf (NS))					

^{*} Our metals are all living finishes. Find out more here - savagedesign.com.au/portfolio/living_finishes/